### EXHIBIT G-2 THIS REPORT PREPARED PURSUANT TO DUTY IMPOSED BY A.A.C. R13-10-104 (A)

#### ARIZONA DEPARTMENT OF PUBLIC SAFETY

## STANDARD QUALITY ASSURANCE PROCEDURES INTOXILYZER MODEL 8000

#### STANDARD CALIBRATION CHECK PROCEDURE

QA SPECIALIST M. GUTUMANT AGENCY GOOD YEAR PI
DATE 7/8/13 TIME 0027
INTOXILYZER SERIAL # 80-0003/2 LOCATION /// S CATCHERIAL F.
1. Ensure that gas tank is attached to instrument and contains a standard alcohol concentration solution AC.
Pour a standard alcohol concentration solutionAC, into a clean dry simulator and assemble the simulator. Ensure that a tight seal has been made. Turn on the simulator and allow temperature to reach 34°C ± 0.2°C  2. Intoxilyzer 8000 display reads "PUSH BUTTON TO START"  3. Go to the "Control Testing Menu". Select "D" for dry control test or "W" for wet control test. After selection is made press ENTER.  4. Air blank completed.  5. Calibration check completed. Test results 0AC.  6. Air blank completed.  7. Remove printed record. Attach the record to the completed checklist.

DPS Form Exh G-2 (Rev 05-01)

### THE REPORT PRESENTATION OF THE CHECKED AND ALL THE CHECKED AND ALL THE PROPERTY OF THE PROPERT

TERRAR DIAMPANTANTANTO TYPINAMIA ANGLIANG

# ST, WDARD GYVLIET ASTRACICA PLOCEDIPAS THTOXILKRER WODEL SOM

STANDARD CALIBRATION OUR OLD FRUIDO SEE

and the second of the second o	2027	S. BAIT		11. N. GUZZ	ੜਾ
( Secret	E CERCH	Descrion ///	10312	0.000 k	YJ XÚ
Cation of the State of	ka nabsta mesa k	contains a Dandard George	uno teammino hallas	ഇവുന്നു പ്രവസം പ്രവസം പ്രവസങ്	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
				ente e a mileta al card avanc iteratura e limente that a light	
- · · · · · · · · · · · · · · · · · · ·				ાં	
	•		s"PUSA LUTTOS lesu", bal <mark>icat "D"</mark> u		
	•	SH THE VOICE CONTROL OF THE SECOND	මේ <b>්ට</b> ් කෝගේ ඒවලම් ම	ener Stocklyzer SEPV display read So to the "Court Testing M	

INTOXILYZER 8000

Location: 1111 S LICHFIELD RD

Serial Number: 80-000312 Core Version: 8105.48

07/07/2013

00:27:17

Standard Lot#: 32012100A1

Last Changed By: M. GUILBAULT #1144

-----

QAS: M. GUILBAULT #1144

GOODYEAR PD

-----

Operator: M. GUILBAULT #1144

GOODYEAR PD

----·

Test	g/210L	Time
Air Blank	0.000	00:27:46
0.100 Cal Check	0.097	00:28:07
Air Blank	0.000	00:28:37

Preventative Maintenance Performed -- Timer Reset