



NUMBER		NOT REQ'D	NOT DONE	SATISFIED	Signing & Striping	
					REVIEW #	
					BY	DATE
	ITEMS				Location in Standards	

Cover Sheet						
1	COG General Notes For Signing & Striping	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.4.10	
2	Traffic Study Establishing Speeds/Lanes Striping Installation Standards	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3 4.5.4 MCDOT Pavement Marking Manual And City Standard Details MUTCD	
3	Design Speed Of Street(s)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.1.3(G) Or TIA	
Plan Sheets						
4	Scale 1"=40'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3(A.2)	
5	Signing/Striping Legend On Every Sheet	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
6	Typical Street Section With Striping Included	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3100 Series General Details	
7	Same As Paving Geometry	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
8	Show Approved Streetlights, Fire Hydrants, And Traffic Signals	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
9	Signing & Striping Call-Outs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3 MCDOT Pavement Marking Manual	
10	Show And Label All Existing Sign Types; Identify To Remove, Remain Or Salvage	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.11.2	
11	Existing/Proposed Average Daily Traffic Of Street(s)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2.11.2	
12	End Of Roadway Barriers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3170	
13	Show RPM (Raised Pavement Markers)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3(D.2) MCDOT Pavement Marking Manual And City Standard Details	
14	Show Entire Length Of Project In Plan View	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3(A.3)	
15	Show Min. 1,250' Past The Limits Of Construction	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3(A.5)	
16	Show & Label Ex. Striping As Light Linetype	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3(D.1)	
17	Street Name Signs	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.1.2(A) G-3209 Include Arrow Pointing In The Correct Direction And All Capital Letters	
18	Sign Locations Stationed, MUTCD Designation, And Size Noted	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4.5.3(C.2)	
19	No Parking Signs, Bike Lanes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	0.4.10(I) G-3208-5&6	
20	R4-7 & OM1-3 At Median Bullnose On All Arterial, Collector Streets & Local Entry.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208	

NUMBER		NOT REQ'D	NOT DONE	SATISFIED					
					Signing & Striping				
					REVIEW #				
	ITEMS				BY		DATE		
					Location in Standards				

21	Lane Only Signs With Lane Indicator Plaque (Except At Tee Intersections)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208-5 MUTCD
22	Stop Signs: 36" Arterial, 30" Collector, None On Local (Except At 4-Way Intersection)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208 MUTCD
23	Warning Signs: Per MUTCD	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Table 2C-4 MUTCD G-3208
24	Center Lane 2-Way Left, 4 Signs/Mile, (Not On Speed Limit Signs)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Not Adjacent To, But After The Left Turn Bay
25	Speed Limit Signs – 4 Per Mile (R2-1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
26	1st Speed Limit Sign 330' From Intersection	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
27	25mph Sign At Entrances Of Residential Subdivisions	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
28	Advance Street Name Signs On Arterials In Medians (If No Median, Place On Right Side)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	350' Before Intersection Per Table 6C-1 MUTCD G-3209-1&2
29	Bike Lane With Signing & Symbols At Major Intersections Only (R3-17(b) Ahead Or Ends)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208
30	Break Bike Lane Stripes/Edge Line At Driveways	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	MCDOT Pavement Marking Manual
31	End Bike Lane/Edge Line 50' Before CR Without Right Turn lane	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208 MCDOT Pavement Marking Manual
32	Bike Lane Signs (Without "No Parking Sign") Are 30"x24". R7-9a W/Bike Lane 12"x12" W/Other Reg. Signs & 24"x24" Stand Alone	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208-5 MUTCD
33	Striping dimensioned off C/L and/or F/C and lengths or stations provided	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208 MCDOT Pavement Marking Manual
34	Double Arrow (W1-7) @ Coll./Coll. & Coll./Art. T-Intersections	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208
35	Crosswalks At Signalized Intersections Only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
36	Stop Bar, 24SW All Locations. 4' Behind Crosswalk Or 18' Behind Extended Edge Of Cross Lane Traffic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208 MCDOT Pavement Marking Manual
37	Deceleration Lanes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208
38	Merge Taper Lengths & Signing (15:1)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208-4
39	Turn Lanes W/Arrows & "ONLY" Legend	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208

NUMBER		NOT REQ'D	NOT DONE	SATISFIED					
					Signing & Striping				
					REVIEW #				
	ITEMS				BY		DATE		
					Location in Standards				

40	Storage Lengths: Art/Art, Art/Coll - 250' Min., Coll/Art - 150' Min., Driveways - 150' Min.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208-1,-2,-3 G-3215
41	Opening Length, Right Turn Lane 12' @ 15:1 For Straight Curb Taper, Left Turn Lane 100' Min. Opening	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	G-3208 G-3215
42	Place Interim Stop Signs Until Traffic Signal Is Activated	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
43	Min. Lane Width - 12' Max. Lane Width - 16'	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
44	Chevrons Are 12SW And Spaced Equivalent To Speed Limit	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>MCDOT Pavement Marking Manual</u>