				l							
NUMBER	ITEMS	N/A	NOT SATISFIED	SATISFIED	MOD Checklist REVIEW # BY DATE Location in Engineering Design Standards & Policy Manual						
			PLAT								
	MOD sheets shall be signed and sealed by a Professional Engineer or Suveyor licensed by the State of AZ.				9.1.3.B.1						
	Review Title Report using the Title Report Checklist	Ш			9.1.3.B.7						
	Provide north arrow and bar scale. Drawings oriented with north to the top or the right side of the sheet.				9.1.3.B.8						
4	All Final Plat notes from the Admin Chapter that apply to the development shall be provided on the Coversheet.				9.1.3.C.1						
5	Name of the proposed MOD shown prominently on the coversheet				9.1.3.C.2						
6	Following the MOD name, state the Quarter Section within which the proposed MOD is to be located.				9.1.3.C.3						
7	Vicinity map showing the relationship of the proposed development to the nearest existing and planned arterial and major collector streets.				9.1.3.C.4						
	Provide in block form: Name, address, & telephone number of individual or agency that prepared the plat "Final Plat for (name) MOD" Date prepared and job number, Scale Sheet of sheets				9.1.3.C.6						
9	Name, address, & telephone number of the Property Owner, Developer & the Surveyor, Engineer, &/or Architect submitting the drawings.				9.1.3.C.7						
10	Provide a statement of dedication of all ROW, drainage ways, pedestrian ways, & other easements for City, public, or private use by the person holding legal title of record, or by persons holding legal titles as vendees under land contract. If lands dedicated are				9.1.3.C.12.a						

			Ð		
			SATISFIED		
			ISI	Ü	MOD Checklist Goodyear
ER			AT	FIE	REVIEW #
[B]				ATISFIED	BY DATE
NUMBER	ITEMS	N/A	NOT	AT	Location in Engineering Design Standards & Policy
Z		Z	Z	Ø	Manual
	L. C	1		Ī	
11	sign the plat.				9.1.3.C.12.b
11	Stormwater management facilities shall have an enforceable operation &		Ш		9.1.3.C.12.0
	maintenance agreement to ensure the				
	system functions as designed. A				
	binding covenant specifying the				
	parties responsible for the proper				
	maintenance of all stormwater				
	management facilities shall be secured				
	prior to approval of final MOD plat &				
	issuance of any permits for land				
	disturbance activities.				
12	A dedication statement is required for				9.1.3.C.12.d
	all ROW and easements that are to be				
	dedicated to the public. All private				
	streets or roadways must be in tracts.	_			
13	If property is encumbered by a Deed of				9.1.3.C.14
	Trust, Mortgage, and/or Agreement,				
1.4	the Lender must ratify the map.				0.1.0.0.16
14	A certification must be provided by a		Ш		9.1.3.C.16
	Land Surveyor registered to practice in				
	Arizona stating that the Plat was made under his direction and that it meets				
	the minimum standards for Arizona				
	Land Boundary surveys. His seal must				
	be placed on each sheet of the Plat.				
15	Provide in block form in the lower				9.1.3.C.17
	right hand corner of the Plat the				3,1,0,0,1
	following information:				
	a. Land surveyor's name and address.				
	b. "Plat for (name) MOD."				
	c. Date prepared and job number.				
	d. Scale				
	e. "Sheet of sheets."	_			
16	Prior to recording the Final Plat, it				9.1.3.C.18
	must have the signature of the City				
	Engineer and the Mayor. The City				
	Clerk must attest to the Mayor's				
	signature. Places for these signatures				
	must be provided on the Plat				
17	coversheet. Provide a legend with abbreviations				0 1 3 D 1

			SATISFIED		MOD Checklist Goodyear
~			Į.	EL	MOD CHECKIIST
迅			Y.	FI	REVIEW #
MB		_		ATISFIED	BY DATE
NUMBER	ITEMS	N/A	NOT	A.	Location in Engineering Design Standards & Policy
4		4	~	02	Manual
		7		F	
	and drawing symbol explanations.				
18	The boundary lines				9.1.3.D.2
	• of each MOD shall be dimensioned				9.1.3.D.7
	completely with bearings and				
	distances, curve lengths, central				
	angles, radii, etc.				
	• shall be shown together with ties by				
	course & distance to a min of 2				
	Section or Quarter Section				
	monuments.				
	• The Section or Quarter Section				
	monuments are to be used as the				
	basis of bearing.				
	All Section and Quarter Section				
	monuments must be identified and				
	• Notes must indicate whether they				
	were found or set.				
19	Show, label and dimension adjacent				9.1.3.D.3
	property & within 150' of the				
	boundary:				
	• Driveways				
	• Rights-of-Way				
	• Easements				
	MOD name or as unsubdivided land				
	• APN, Recording Number, Recording				
	Book and Page				
	 Current zoning designation 				
20	0 0			\Box	9.1.3.D.10
20	The names of all public and private roadways located along existing		Ш		۶.1.J.D.1U
	county alignments shall match the				
	existing county naming conventions				
	unless otherwise approved by the City				
	Engineer and/or the City Council. All				
	names shall be preceded by the				
91	appropriate cardinal direction prefix.	\vdash		\vdash	9.1.3.D.11
41	The courses, lengths, and widths of all		Ш	Щ	3.1.J.D.11
	public and private streets shall be provided on the Final Plat.				
20	<u> </u>			\Box	9.1.3.D.13
44	All existing private and public		Ш		۶.1.J.D.1J
	easements within, on or over the plat shall be labeled, dimensioned, and				

			SATISFIED	ű	MO	D Checklist	Goodÿëčiř
NUMBER		N/A	SAT	SATISFIED	REVIEW #		DATE
ME			NOT :	TIS	BY	· · · · · · · · · · · · · · · · · · ·	DATE
NO	ITEMS			SA	Location in En	ngineering Design	Standards & Policy
				_			
	noted as to their use. The dedication						
	language shall identify the purpose						
	and use of all easements.	_					
23	All lots or tracts to be dedicated to the	Ш			9.1.3.D.14		
	City of Goodyear shall be clearly						
	indicated on the plat and specifically						
	identified in the dedication statement						